Pagel of 10

Issued Date: 10/01/2022

Revision date: 10/01/2025(1st edition)

SAFETY DATA SHEET (SDS)

1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Chemicals Name

Product Name Iodine

Product Code

Company Information

Supplier Company Name GODO SHIGEN CO., LTD.

Department in Charge Sales department

Address No.1545-1, NANAIDO, CHOSEI-MURA, CHOSEI-GUN,

CHIBA-PREF, 299-4333, JAPAN

 Phone Number
 0475-32-2302

 Fax Number
 0475-32-1115

E-mail sales@godoshigen.co.jp
Emergency Phone Number GODO SHIGEN CO., LTD.

Sales department 0475-32-2302

Recommended Use and Restrictions on Use

General industrial use

2 HAZARDS IDENTIFICATION

GHS Classification

Physical Hazards

Classification not possible

Health Hazards

Acute toxicity (Oral)

Acute toxicity (Inhalation: vapour)

Skin corrosion/irritation

Serious eye damage/irritation

Category 2

Category 2

Skin sensitization

Category 2

Category 1

Specific target organ toxicity

(Single exposure) Category 3 (Respiratory tract irritation)

Specific target organ toxicity

(Repeated exposure) Category 1 (Thyroid)

Environmental Hazards

Hazards to aquatic environment -

acute hazard Category 1

Hazards to aquatic environment -

chronic hazard Category 1

GHS Label Element

Pictograms

Page2 of 10

Issued Date: 10/01/2022

Revision date: 10/01/2025(1st edition)







Signal Words

Hazard Statements

Danger

Harmful if swallowed

Causes skin irritation

May cause allergic skin reaction Causes serious eye irritation

Fatal if inhaled

May cause respiratory irritation

Cause damage to thyroid through prolonged or repeated

exposure

Very toxic to aquatic life

Very toxic to aquatic life with long lasting effects

Precautionary Statements

[Prevention]

Keep container tightly closed.

Do not breathe dust/fume/gas/vapours. Wash hands thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing should not be allowed out of

work place.

Avoid release to the environment.

Wear halogen gas mask/protective gloves/eye protection.

[In case of inadequate ventilation] wear respiratory protection.

[Response]

IF INHALED: Remove victim to fresh air and keep at rest in a

position comfortable for breathing.

IF ON SKIN: Wash with 5% sodium thiosulfate solution and

then wash with plenty of water.

IF IN EYES: Rinse cautiously with running water for at least

15 minutes and then seek medical attention immediately.

IF SWALLOWED: Rinse mouth with water. Seek medical

attention immediately.

Get medical advice/attention if you feel unwell.

Rinse mouth.

If skin irritation: Get medical advice/attention.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

Collect spills.

[Storage]

Store in well-ventilated, a cool and dark place. Keep container

tightly closed. Store locked up.

Page3 of 10

Issued Date: 10/01/2022

Revision date: 10/01/2025(1st edition)

[Disposal] Dispose of contents/container by requesting a professional

waste disposal company licensed by the prefectural governor.

Other Hazards

No data available

3 COMPOSITION/INFORMATION ON INGREDIENTS

Distinction of Substance or Mixture

Substance

Composition and Information on Ingredient

Chemical name or common name: Iodine Chemical properties (chemical formula): I_2 Concentration: 99.7 % CAS No.: 7553-56-2

Reference number in gazetted list in Japan ENCS No.: Not applicable (Element)

ISHL No.: Listed (Element)

4 FIRST AID MEASURES

First Aid

If inhaled Remove victim to fresh air and keep at rest in a position

comfortable for breathing. If symptoms persist, seek medical

attention immediately.

If on skin Take off contaminated clothing promptly.

Wash with plenty of water and soap.

If possible, wash the affected area with plenty of water (or lukewarm water) after washing the affected area with a 5%

sodium thiosulfate solution.

Seek immediate medical attention as delayed or inadequate

cleaning can cause skin damage.

If in eyes Immediately rinse cautiously with water for several minutes,

wash contaminated product thoroughly and seek medical attention immediately. Remove contact lenses, if present and

easy to do. Continue rinsing.

If swallowed Rinse mouth with water and seek medical attention

immediately. If possible, give a 5% sodium thiosulfate

solution to induce vomiting. Never give anything by mouth to

an unconscious patient.

The Acute and Delayed Effects and Main Symptoms

Sore throat, cough, shortness of breath, redness, pain, severe skin burns, hazy eyes, severe burns, burning sensation, gastric spasm, vomiting, diarrhea, shock or collapse.

Advice to Protect the Rescuers

Rescuers need to wear appropriate eye and skin protection depending on the situation.

Page4 of 10

Issued Date: 10/01/2022

Revision date: 10/01/2025(1st edition)

5 FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

The product itself does not burn. Use appropriate fire extinguishing agents such as water spray, dry chemical powder, foam, carbon dioxide, etc. depending on the surrounding fire.

Unsuitable Extinguishing Media

Avoid direct rod-shaped water injection as fire may spread to the surrounding area.

Special Hazards and Risks

Irritant, corrosive or toxic purple iodine gas or vapor can be released in case of fire. The container may explode due to heating.

Specific Fire Fighting

Fight fire from upwind side.

Isolation the site and prohibit the unnecessary person to access.

If without risk, move the container to a safe area.

Cool down the container and nearby facilities by sprinkling water in case of fire in the vicinity.

Evacuate and extinguish the fire from a safe distance. When exposed to heat, it may explode and release severely toxic vapors or decomposition products.

Fire Fighting Notes and Protective Measures

Fire-fighting personnel must wear protective equipment according to the situation when engaged in firefighting.

6 ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Evacuate immediate area. Keep unnecessary personnel away.

Use personal protective equipment (See "8. EXPOSURE CONTROLS/PERSONAL PROTECTION") to avoid eye and skin contact and inhalation.

Do not touch damaged containers or leaks unless you are wearing proper protective clothing.

Work from upwind and evacuate people downwind.

Stay away from the lowlands.

If the leak does not cause a fire, wear a tightly sealed, impermeable protective garment.

Ventilate before entering a closed area.

Environmental Precautions

Avoid leaking products into the environment so as not to affect the surrounding environment.

Methods and Materials for Containment and Cleaning Up

Sweep up the leaked material and collect it in an empty container that can be sealed.

The spilled area should be neutralized or reduced and then rinsed with water.

Prevent inflow into drains, sewers, basements or closed areas.

Absorb or cover with dry soil, sand or non-combustible material and transfer to container.

Page5 of 10

Issued Date: 10/01/2022

Revision date: 10/01/2025(1st edition)

Prevention Measures for Secondary Disaster

Immediately remove combustibles and ignition sources.

Cover with a plastic sheet to prevent scattering.

7 HANDLING AND STORAGE

HANDLING

Technical Measures Handle in areas with well ventilation.

Since it is sublimable at room temperature, seal the container

immediately after use.

Wear appropriate protective equipment to avoid eye and skin

contact and inhalation.

Provide safety hand and eye wash station identified clearly

near work area.

Wash hands and face thoroughly after handling.

Precautions for Safe Handling Handle in a place with local exhaust or general ventilation

equipment.

Avoid dust and vapour generation during operation.

Avoid contact with organics as this product is an oxidizing

substance.

Contact Avoidance Refer to "10. STABILITY AND REACTIVITY"

Hygiene Measures Wash hands thoroughly after handling.

Do not eat, drink or smoke when using this product.

STORAGE

Technical Measures The equipment of a lighting, and ventilation necessary to store

or to handle dangerous articles is installed in the inventory

location.

Incompatible Materials Flammable and reducing substances, alkali metals,

phosphorus, antimony, ammonia, acetaldehyde, acetylene

Storage Conditions Avoid direct sunlight, flame and heat sources.

Keep container tightly closed. Store in a cool and dark place.

Store locked up since it is a deleterious substance. Store in accordance with regulatory standards.

Safe Containers and Packaging

Materials

Vinylidene chloride or glass container.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Allowable concentration (Exposure Limits, Biological Limit Values)

Concentration standard value set by

the Minister of Health, Labour and

0.02 ppm(8 hours)

Welfare

ACGIH TLV-STEL (2025) 0.1 ppm (Iodine vapor)

ACGIH TLV-TWA (2025) 0.001ppm (Iodine inhalable fraction and vapor) (2022)

Page6 of 10

Issued Date: 10/01/2022

Revision date: 10/01/2025(1st edition)

Equipment Measures

Provide general ventilation system.

Use a sealed device, equipment, or llocal mechanical ventilation.

Provide safety shower and eye wash station identified clearly in the work area.

Personal Protective Equipment

Respiratory Protection Wear respiratory protective equipment such as halogen gas

masks, air supply masks, and air respirators.

Hand Protection Wear impervious protective gloves.

Eye/Face Protection Wear protective glasses, goggles, and face shield.

Skin and Body Protection Wear protective clothing, protective boots, protective aprons,

etc. if necessary.

Special Precautions

No data available

9 PHYSICAL AND CHEMICAL PROPERTIES

Physical State Solid

Colour Black-purple with metallic luster

Odour Pungent odor
Melting Point 114°C
Boiling Point 184°C

Flammability Not applicable Upper/Lower Flammability or Not applicable

Explosive Limits

Flash Point Not applicable
Auto-ignition Temperature Not applicable
Decomposition Temperature No data available
pH No data available
Kinetic viscosity Not applicable

Solubility Water: 0.03 g/100 mL (20°C)

Partition Coefficient $\log Pow = 2.49$

(n-Octanol/Water) (log value)

Vapor Pressure 0.04 kPa (25°C)

Density / Relative Density 4.9

Relative Vapour Density 8.8 (Air = 1)
Particle Characteristics No data available

10 STABILITY AND REACTIVITY

Reactivity Vapor reacts with many metals at room temperature.

Chemical Stability It is sublimable. It emits purple harmful vapors when heated.

Possibility of Hazardous Reactions Although not flammable or explosive, vapors react with many

metals at room temperature.

Reacts with ammonia and produce explosive iodine nitride.

Page7 of 10

Issued Date: 10/01/2022 Revision date: 10/01/2025(1st edition)

Condition to Avoid Avoid direct sunlight, heating, and contact with combustibles

and reducing substances.

Incompatible Materials Flammable and reducing substances, alkali metals,

phosphorus, antimony, ammonia, acetaldehyde, acetylene

Hazardous Decomposition Products No data available

11 TOXICOLOGICAL INFORMATION

Product Hazard Information

Acute Toxicity (Oral) Rat $LD_{50} = 315 \text{ mg/kg}$

Rat $LD_{50} = 14,000 \text{ mg/kg}$

Acute Toxicity (Dermal) Rat $LD_{50} = 3,333 \text{ mg/kg}$ Acute Toxicity (Inhalation: Gases) Solid (GHS definition)

Acute Toxicity (Inhalation: Vapours) Rat 4 hours $LC_{50} = 0.363 \text{ mg/L}$ (Conversion value: 35 ppm)

Acute Toxicity (Inhalation: Dusts / Classification not possible due to lack of data.

mists)

Skin Corrosion/Irritation There is a report that in a test with rats (inhalation exposure),

severe oedema, erythema and desquamation were observed and it was corrosive, but these effects are not considered to be

severe, and there is a description that this substance is

corrosive to the skin, however, there are no descriptions of the exposure time and irreversible effects. In addition, there is a description that the vapour of this substance was irritating to the skin in humans and there is a description that it causes skin

blisters as a local effect.

Serious Eye Damage/Irritation There is a description that the vapour of this substance was

irritating to the eyes and eyelids in humans, and there is a report that it was severely irritating to the mucosa in

experimental animals.

Respiratory Sensitization Classification not possible due to lack of data.

Skin Sensitization This substance was classified in occupational skin sensitizers

Group 2 by Japan Society for Occupational Health. In addition, there are reports of allergic dermatitis and of

eruption due to allergic reactions.

Germ Cell Mutagenicity Classification not possible due to lack of data. There were no

in vivo data. As for in vitro, it was negative in a mouse

lymphoma test with cultured mammalian cells.

Carcinogenicity It was classified as A4 by ACGIH.

Reproductive Toxicity Classification not possible due to lack of data. Besides, there

were no data on this substance, and there were limited data on the reproductive/developmental effects of iodine/iodide in experimental animals. However, human case reports demonstrate that intake of a very high amount of this substance during pregnancy (among these doses, the lowest reported dose of 130 mg/day) may induce neonatal goiter and

hypothyroidism.

Specific Target Organ Toxicity

(Single Exposure)

There are reports of respiratory tract irritation, coughing, headache and chest tightness by inhalation exposures to a

Page8 of 10

Issued Date: 10/01/2022

Revision date: 10/01/2025(1st edition)

vapour and a mist of this substance, and abdominal pain, vomiting, diarrhea and gastrointestinal ulceration by the oral ingestion in humans. There were no data in experimental

animals.

Specific Target Organ Toxicity (Repeated Exposure)

There is a description that chronic intake of excess iodine in humans may result in hypothyroidism or hyperthyroidism and in extreme cases of more than 8 mg/kg/day (approximately 560 mg/day), it causes hyperthyroidism, etc. As for experimental animals, when rats with an inbred susceptibility to autoimmune thyroiditis or general-purpose rats treated with thymectomy were administered by drinking water containing 0.05% of iodine for 8 weeks or 12 weeks, respectively, an increase in the incidence of autoimmune thyroiditis characterized by a lymphocytic infiltration, accompanied by increased thyroid weights and increased antibodies to thyroglobulin was observed. In addition, in a test in which rats were given this substance by feeding for 10 weeks, dose-dependent increases in thyroid weights and thyroglobulin antibodies were observed within dose ranges of 0.015-0.23 mg/kg/day.

Aspiration Hazards

Classification not possible due to lack of data.

12 ECOLOGICAL INFORMATION

Product Environmental Impact Information

Ecological Toxicity

Hazards to aquatic environment - Crustacean (Daphnia magna) 48hrs $EC_{50} = 0.16 \text{ mg/L}$

acute hazard

Hazards to aquatic environment - No data available

chronic hazard

Persistence/Degradability

Bioaccumulation Potential

Mobility in Soil

Hazardous to the Ozone Layer

No data available

No data available

No data available

13 DISPOSAL CONSIDERLATIONS

Waste Disposal

For disposal, conform with the standards provided by related laws and local public bodies.

Commission the authorized waste disposal company, or a local public body who conducts the disposal, to dispose of the material.

Dispose of poisonous and deleterious substances according to the standards for disposal methods.

- 1) Dissolve in an alkaline aqueous solution (lime milk or sodium hydroxide aqueous solution) little by little, dilute with a large amount of water, and treat.
- 2) Dilute with a large amount of water, add a solution of a reducing agent (for example, sodium thiosulfate aqueous solution), and then neutralize. Then, dilute with a large amount of water and treat.

Page9 of 10

Issued Date: 10/01/2022

Revision date: 10/01/2025(1st edition)

Contaminated Container and Packaging

Containers should be cleaned and sanctioned appropriately, and relevant regulations should be regulated.

When disposing of empty containers, remove the contents completely.

14 TRANSPORT INFORMATION

International Regulations

Land transport (According to ADR / RID regulations)

UN No. 3495
UN Proper Shipping Name Iodine
Hazard Class 8
Subsidiary Risk 6.1
Packing Group III

Marine transport (According to IMO regulations)

UN No. 3495
UN Proper Shipping Name Iodine
Hazard Class 8
Subsidiary Risk 6.1
Packing Group III

Marine Pollutant (Applicable / Not

applicable)

IBC code (Applicable / Not

Not applicable

Applicable

applicable)

Air transport(According to ICAO / IATA regulations)

UN No. 3495
UN Proper Shipping Name Iodine
Hazard Class 8
Subsidiary Risk 6.1
Packing Group III

Regulations in Japan

Regulatory Information by Land Follow the Fire Service Law, PDSCL, and Road Law

Regulatory Information by Sea Follow the Ship Safety Law

Marine Pollutants Applicable

Regulatory Information by Air Follow the Air Law

Specific Safety Measures:

During transportation, avoid direct sunlight, and ensure that the container is not damaged, corroded or leaked. Do not dump, drop or damage when loading. Prevent the goods from collapsing.

15 REGULATORY INFORMATION

Applicable Regulations and Regulatory Information Based on the Regulations

Page10 of 10

Issued Date: 10/01/2022

Revision date: 10/01/2025(1st edition)

Act on Confirmation, etc. of Release

Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the

Management Thereof

Labor Standards Act

Industrial Safety and Health Act

Not applicable

Disease chemicals (Iodine)

Dangerous and hazardous substances for which names should

be notified (Iodine and its compounds) (Iodine compounds are limited to Iodides. Preparations and other products containing

0.1wt% or more)

Dangerous goods and hazardous substances whose names should be displayed ((Iodine and its compounds) (Iodine compounds are limited to Iodides. Preparations and other products containing 1wt% or more. Dangerous materials, flammable materials, etc. that do not become non-solid and do not become powdery during transportation and storage, as well as substances that may cause an explosion or fire. Excludes those that do not pose a risk of corrosion to skin.)

Substances that require notification such as storage

(Iodine)

Poisonous and Deleterious Substances

Control Act

Fire Service Act

Civil Aeronautics Act Ship Safety Law Road law

Foreign Exchange and Foreign Trade

Act

Deleterious substance (Iodine) (Active ingredient (pure

industrial product))

Corrosive substance (Iodine) Corrosive substance (Iodine) Vehicle traffic restrictions

Item 16 of the attached table 1 of the Export Trade Control

Ordinance (Fluorine, Chlorine, Bromine and Iodine)

16 OTHER INFORMATION

References

NITE GHS classification result list (2021)

ACGIH, American Conference of Governmental Industrial Hygienists (2025) TLVs and BEIs.

[NOTE] The SDS complies with JIS Z 7253: 2019 and is made based on the product information and hazard information available at the time of creation. Please handle with care as it may not always be sufficient. If you have any new knowledge, please change the contents of this SDS as necessary. In addition, the precautions are intended for normal handling, please take safety measures suitable for the application and conditions before special handling.